

REGULATORY COMPLIANCE TESTING

COMPLIANCE CERTIFICATE OF ANALYSIS

Sample ID: CW32985S05

Batch ID: 003.181228.01 / Super Sour Diesel
 Client Username: truehumboldt
 CW Collection ID: HSGG190103-A5S
 Primary Sample Size: 14.2 grams
 Date Sampled: 2019-01-03
 Date Received: 2019-01-03
 Date Expires: 2020-01-03
 Total Batch Weight/Count: 3343.7 grams
 Date Reviewed: January 19, 2019
 Sample Type: Flower (Inhalable Harvest)

Distributor Name: Humboldt Sun Growers Guild
 Distributor Address: 55 Erickson Court Arcata CA 95521 | Distributor License No. C12-18-000084-TEMP
 Cultivator Name: Humboldt Edge
 Cultivator Address: 41000 Highway 299 Willow Creek, CA 95573 | Cultivator License No. TAL17-0000037
 CW ANALYTICAL LABORATORIES | 510.545.6984 | 851 81st Avenue, Suite D, Oakland, CA 94621 | License No. C8-18-0000021-TEMP


Overall Batch Status - Pass



Profiling by Liquid Chromatography - Pass

(SOP-014) | Date Performed: 2019-01-10

Cannabinoid	Percent	mg/g	LOQ (mg/g)	LOD (mg/g)	L.C. ^{A1}	Status
d9-THC	0.80	8.04	1.50	0.50	-	Pass
d8-THC	ND ¹	ND ¹	1.50	0.50	-	Pass
THCA	25.66	256.62	1.50	0.50	-	Pass
THCV	ND ¹	ND ¹	1.50	0.50	-	Pass
CBG	ND ¹	ND ¹	1.50	0.50	-	Pass
CBGA	0.74	7.45	1.50	0.50	-	Pass
CBN	ND ¹	ND ¹	1.50	0.50	-	Pass
CBD	<LOQ	<LOQ	1.50	0.50	-	Pass
CBDV	ND ¹	ND ¹	1.50	0.50	-	Pass
CBDA	<LOQ	<LOQ	1.50	0.50	-	Pass
Total	27.20	272.11	NA	NA	-	-
Total THC	23.30	233.10	-	-	-	Pass
Total CBD	ND¹	ND¹	-	-	-	Pass



¹ND = Not Detected
^{A1}L.C. = Label Claim in mg/g
 Total THC = ((THCA*0.877)+ d9-THC) / Total CBD = ((CBDA*0.877)+ CBD)

Microbiological Screening - Pass

Petrifilm screening for microbiological contamination. (SOP-009) | Date Performed: 2019-01-07

Analysis	Limit of Detection	Action Limits	Status	
Shiga-Toxin E. Coli	ND	< 1 cfu/g	1 cfu/g	Pass
Salmonella	ND	< 1 cfu/g	1 cfu/g	Pass
Aspergillus niger	ND	< 1 cfu/g	1 cfu/g	Pass
Aspergillus flavus	ND	< 1 cfu/g	1 cfu/g	Pass
Aspergillus fumigatus	ND	< 1 cfu/g	1 cfu/g	Pass
Aspergillus terreus	ND	< 1 cfu/g	1 cfu/g	Pass

ND = Not Detected

Residual Solvent Analysis -

Analysis of residual solvents. (SOP-011) | Date Performed:

Solvent	ug/g	Action Limit	LOQ (ug/g)	LOD (ug/g)	Status
Benzene	NT				
Chloroform	NT				
1,2-Dichloroethane	NT				
Ethylene Oxide	NT				
Methylene Chloride	NT				
Trichloroethylene	NT				
Acetone	NT				
Acetonitrile	NT				
Ethanol	NT				
Ethyl Acetate	NT				
Diethyl ether	NT				
Heptane	NT				
Hexane	NT				
Isopropanol	NT				
Methanol	NT				
N-Butane	NT				
Pentane	NT				
Propane	NT				
Toluene	NT				
Total Xylenes	NT				

¹ND = Not Detected
 NT = Not Tested



This sample was tested by CW Analytical Laboratories. Results are valid through the expiration date indicated.

Robert W Martin, PhD
 Robert W Martin, PhD

REGULATORY COMPLIANCE TESTING

COMPLIANCE CERTIFICATE OF ANALYSIS

Sample ID: CW32985S05

Batch ID: 003.181228.01 / Super Sour Diesel
 Client Username: truehumboldt
 CW Collection ID: HSGG190103-A5S
 Primary Sample Size: 14.2 grams
 Date Sampled: 2019-01-03
 Date Received: 2019-01-03
 Date Expires: 2020-01-03
 Total Batch Weight/Count: 3343.7 grams
 Date Reviewed: January 19, 2019
 Sample Type: Flower (Inhalable Harvest)

Distributor Name: Humboldt Sun Growers Guild
 Distributor Address: 55 Erickson Court Arcata CA 95521 | Distributor License No. C12-18-000084-TEMP
 Cultivator Name: Humboldt Edge
 Cultivator Address: 41000 Highway 299 Willow Creek, CA 95573 | Cultivator License No. TAL17-0000037
 CW ANALYTICAL LABORATORIES | 510.545.6984 | 851 81st Avenue, Suite D, Oakland, CA 94621 | License No. C8-18-000021-TEMP

Overall Batch Status - Pass



Chemical Residue Screening - Pass

Targeted analysis of chemical residues. [SOP-017] | Date Performed: 2019-01-10

	ug/g	LOQ (ug/g)	LOD (ug/g)	Action Limit	Status		ug/g	LOQ (ug/g)	LOD (ug/g)	Action Limit	Status
Abamectin	ND ¹	0.02	0.01	0.10	Pass	Fludioxonil	ND ¹	0.02	0.01	0.10	Pass
Acephate	ND ¹	0.16	0.05	0.10	Pass	Hexythiazox	ND ¹	0.02	0.01	0.10	Pass
Acequinocyl	ND ¹	0.01	0.01	0.10	Pass	Imazalil	ND ¹	0.00	0.00	0.00	Pass
Acetamiprid	ND ¹	0.01	0.01	0.10	Pass	Imidacloprid	ND ¹	0.02	0.01	5.00	Pass
Aldicarb	ND ¹	0.02	0.01	0.00	Pass	Kresoxim-methyl	ND ¹	0.01	0.01	0.10	Pass
Azoxystrobin	ND ¹	0.01	0.01	0.10	Pass	Malathion	ND ¹	0.04	0.01	0.50	Pass
Bifenazate	ND ¹	0.02	0.01	0.10	Pass	Metalaxyl	ND ¹	0.00	0.00	2.00	Pass
Bifenthrin	ND ¹	0.08	0.03	3.00	Pass	Methiocarb	ND ¹	0.02	0.01	0.00	Pass
Boscalid	ND ¹	0.01	0.01	0.10	Pass	Methomyl	ND ¹	0.02	0.01	1.00	Pass
Captan	ND ¹	0.04	0.01	0.70	Pass	Mevinphos	ND ¹	0.01	0.01	0.00	Pass
Carbaryl	ND ¹	0.02	0.01	0.50	Pass	Myclobutanil	ND ¹	0.01	0.01	0.10	Pass
Carbofuran	ND ¹	0.01	0.01	0.00	Pass	Naled	ND ¹	0.03	0.01	0.10	Pass
Chlorantraniliprole	ND ¹	0.03	0.01	10.00	Pass	Oxamyl	ND ¹	0.02	0.01	0.50	Pass
Chlordane	ND ¹	0.06	0.02	0.00	Pass	Paclobutrazol	ND ¹	0.02	0.01	0.00	Pass
Chlorfenapyr	ND ¹	0.03	0.01	0.00	Pass	Parathion methyl	ND ¹	0.07	0.02	0.00	Pass
Chlorpyrifos	ND ¹	0.06	0.02	0.00	Pass	PCNB	ND ¹	0.02	0.01	0.10	Pass
Clofentezine	ND ¹	0.02	0.01	0.10	Pass	Permethrin	ND ¹	0.02	0.01	0.50	Pass
Coumaphos	ND ¹	0.02	0.01	0.00	Pass	Phosmet	ND ¹	0.01	0.01	0.10	Pass
Cyfluthrin	ND ¹	0.06	0.02	2.00	Pass	Piperonyl butoxide	ND ¹	0.01	0.01	3.00	Pass
Cypermethrin	ND ¹	0.05	0.02	1.00	Pass	Prallethrin	ND ¹	0.03	0.01	0.10	Pass
Daminozide	ND ¹	0.02	0.01	0.00	Pass	Propiconazole	ND ¹	0.01	0.01	0.10	Pass
Diazinon	ND ¹	0.01	0.01	0.10	Pass	Propoxure	ND ¹	0.01	0.01	0.00	Pass
Dichlorvos	ND ¹	0.02	0.01	0.00	Pass	Pyrethrin	ND ¹	0.05	0.02	0.50	Pass
Dimethoate	ND ¹	0.03	0.01	0.00	Pass	Pyridaben	ND ¹	0.00	0.00	0.10	Pass
Dimethomorph	ND ¹	0.01	0.01	2.00	Pass	Spinetoram	ND ¹	0.01	0.01	0.10	Pass
Ethoprophos	ND ¹	0.02	0.01	0.00	Pass	Spinosad	ND ¹	0.01	0.01	0.10	Pass
Etofenprox	ND ¹	0.02	0.01	0.00	Pass	Spiromesifen	ND ¹	0.04	0.01	0.10	Pass
Etoxazole	ND ¹	0.01	0.01	0.10	Pass	Spirotetramat	ND ¹	0.01	0.01	0.10	Pass
Fenhexamid	ND ¹	0.02	0.01	0.10	Pass	Spiroxamine	ND ¹	0.02	0.01	0.00	Pass
Fenoxycarb	ND ¹	0.01	0.01	0.00	Pass	Tebuconazole	ND ¹	0.03	0.01	0.10	Pass
Fenpyroximate	ND ¹	0.02	0.01	0.10	Pass	Thiacloprid	ND ¹	0.01	0.01	0.00	Pass
Fipronil	ND ¹	0.02	0.01	0.00	Pass	Thiamethoxam	ND ¹	0.01	0.01	5.00	Pass
Flonicamid	ND ¹	0.02	0.01	0.10	Pass	Trifloxystrobin	ND ¹	0.02	0.01	0.10	Pass

¹ND = Not Detected
 NT = Not Tested

Heavy Metals Profiling - Pass

Analysis of Heavy Metals. [SOP-012] | Date Performed: 2019-01-12

	ug/g	LOQ(ug/g)	LOD(ug/g)	Action Limit	Status
Cadmium	<LOQ	0.03	0.01	0.2	Pass
Lead	<LOQ	0.12	0.04	0.5	Pass
Arsenic	<LOQ	0.06	0.02	0.2	Pass
Mercury	ND ¹	0.03	0.01	0.1	Pass

¹ND = Not Detected

Water Activity - Pass

Analysis to determine water activity | Date Performed: 2019-01-14

Aw	Action Limit (Aw)	Status
0.58	0.65	Pass

Foreign Material Analysis - Pass

Analysis to determine whether foreign material is present | Date Performed: 2019-01-07

Analysis	Status
Product within acceptable limits for all foreign material criteria.	Pass

CW uses its best efforts to deliver high-quality results and to verify that the data contained therein are based on sound scientific judgment. However, CW makes no warranties or claims to that effect and further shall not be liable for any damage or misrepresentation that may result from the use or misuse of these data in any way. Further, CW makes no claims regarding the representativeness of the analyzed sample to the larger batch from which it was taken. The limit of liability accepted by CW Analytical is limited to the total amount invoiced for services provided. All LQC samples required by § 5730 were performed and met the acceptance criteria required by California Code of Regulations Title 16 Division 42. As part of our strict confidentiality policy, CW can only discuss results with the original client of record. Comments? lab@cwanalytical.com
 // CWLIMS v2.0 // Printed: February 21, 2019 [Page 2 of 3]



This sample was tested by CW Analytical Laboratories. Results are valid through the expiration date indicated.

Robert W Martin, PhD
 Robert W Martin, PhD

REGULATORY COMPLIANCE TESTING

COMPLIANCE CERTIFICATE OF ANALYSIS

Sample ID: CW32985S05

Batch ID: 003.181228.01 /
Super Sour Diesel
Client Username: truehumboldt
CW Collection ID: HSGG190103-A5S
Primary Sample Size: 14.2 grams
Date Sampled: 2019-01-03
Date Received: 2019-01-03
Date Expires: 2020-01-03
Total Batch Weight/Count: 3343.7 grams
Date Reviewed: January 19, 2019
Sample Type: Flower (Inhalable Harvest)

Distributor Name: Humboldt Sun Growers Guild
Distributor Address: 55 Erickson Court Arcata CA 95521 | Distributor License No. C12-18-0000084-TEMP
Cultivator Name: Humboldt Edge
Cultivator Address: 41000 Highway 299 Willow Creek, CA 95573 | Cultivator License No. TAL17-0000037
CW ANALYTICAL LABORATORIES | 510.545.6984 | 851 81st Avenue, Suite D, Oakland, CA 94621 | License No. C8-18-0000021-TEMP

Overall Batch Status - Pass



Mycotoxin Screening - Pass

Analysis of Mycotoxins. | Date Performed: 2019-01-10

	ug/kg	LOQ (ug/kg)	LOD (ug/kg)	Status
Aflatoxin B1	ND ¹	1.2	0.4	Pass
aflatoxin B2	ND ¹	1.2	0.4	Pass
Aflatoxin G1	ND ¹	1.2	0.4	Pass
Aflatoxin G2	ND ¹	1.2	0.4	Pass
Ochratoxin A	ND ¹	1.8	0.6	Pass

¹ND = Not Detected

Terpene Profiling - Pass

Analysis of terpenes. [SOP-012] | Date Performed: 2019-01-15

	Percent mg/g	LOQ(mg/g)	LOD(mg/g)	L.C. ²	Status		Percent mg/g	LOQ(mg/g)	LOD(mg/g)	L.C. ²	Status		
a-Pinene	0.06	0.50	0.1	0.03	-	Pass	Terpinolene	0.02	0.17	0.1	0.03	-	Pass
Camphene	0.01	0.12	0.1	0.03	-	Pass	Linalool	ND ¹	0.00	0.1	0.03	-	Pass
b-Myrcene	0.24	2.14	0.1	0.03	-	Pass	Isopulegol	ND ¹	0.00	0.1	0.03	-	Pass
b-Pinene	0.08	0.75	0.1	0.03	-	Pass	b-Caryophyllene	0.35	3.11	0.1	0.03	-	Pass
d3-Carene	ND ¹	0.00	0.1	0.03	-	Pass	a-Caryophyllene	0.10	0.94	0.1	0.03	-	Pass
a-Terpinene	ND ¹	0.00	0.1	0.03	-	Pass	Guaiol	ND ¹	0.00	0.1	0.03	-	Pass
d-Limonene	0.48	4.30	0.1	0.03	-	Pass	a-Bisbolol	0.01	0.11	0.1	0.03	-	Pass
g-Terpinene	ND ¹	0.00	0.1	0.03	-	Pass							

Total Terpenes

1.6 Percent

¹ND = Not Detected

²L.C. = Label Claim

Moisture: 10.2%

(LPG-001) | Date Performed: 2019-01-09



This sample was tested by CW Analytical Laboratories. Results are valid through the expiration date indicated.

Robert W Martin, PhD
Robert W Martin, PhD